Issuing date 07-Jan-2015

Revision Date 18-Aug-2021

Version 1.03

SAFETY DATA SHEET.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

<u>Product identifier</u> Product name	SR1400 SILICONE RELEASE
Recommended use of the chemical and restrictions on use	
Product code	F01485
<u>Product Type</u> Synonyms	Extremely Flammable Aerosol None
Supplier's details	
Recommended Use	Silicone Lubricant.
Uses advised against	No information available
Manufactured For: PCS Company 34500 Doreka Drive Fraser, MI 48026 PHONE;1-800-521-0546 M-F 8-5 PM	Manufacturer American Jetway Corporation 34136 Myrtle Street Wayne, MI 48184-0126 Phone:(734) 721-5930

Emergency telephone number

Chemical Emergency Phone NumberCHEMTREC: 1-800-262-8200 ID 1195 (UNITED STATES)

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1
Gases under pressure	Compressed Gas

GHS Label elements, including precautionary statements

Emergency Overview

DANGER

Hazard Statements

Causes skin irritation.

Suspected of damaging fertility or the unborn child

May cause drowsiness or dizziness.

May cause damage to organs (Respiratory System, Central Nervous System, and Lungs), through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

Extremely Flammable Aerosol

Contains gas under pressure; may explode if heated



Appearance Clear

Physical state Aerosol

Odor Solvent

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing,eye protection,face protection. Wash hands thoroughly after handling Do not breathe dust, fumes, gas, mist, vapors, spray. Use only outdoors or in a well-ventilated area. Keep away from heat, sparks, open flames, hot surfaces - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Precautionary Statements - Response

If exposed or concerned: Get medical advice, attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice, attention. Take off contaminated clothing and wash it before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor, physician if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER, doctor, physician. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents, container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

None

Other information

0.000006% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
PROPANE/ISOBUTANE/N-BUTANE	68476-86-8	40-50
ISOHEXANE	107-83-5	20-30
3-METHYLPENTANE	96-14-0	1-10
2,3-DIMETHYLBUTANE	79-29-8	1-10
2,2-DIMETHYLBUTANE	75-83-2	1-10
N-HEXANE	110-54-3	1-10

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	Avoid contact with eyes, skin, and clothing. Avoid breathing vapors, mist or gas.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes while removing all contaminated clothing and shoes.	
Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped, contact emergency medical services immediately.	
Ingestion	Do NOT induce vomiting. Call a physician or Poison Control Center immediately. Never give anything by mouth to an unconscious person. Risk of product entering the lungs on vomiting after ingestion.	
Most important symptoms/effects, acute and delayed		

Main Symptoms Causes skin irritation. May cause eye and respiratory irritation. Harmful and may be fatal if swallowed and enters airways.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water fog. Dry chemical. Foam. Carbon dioxide (CO2). Cool containers / tanks with water spray.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Extremely Flammable / Flammable. Keep product and empty container away from heat and sources of ignition.

Explosion Data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use shielding to protect fire-fighters from bursting containers.

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Use with adequate ventiliation to keep the exposure levels below the OELS.	
Environmental precautions		
Environmental precautions	Vapors can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Report spills as required by local and federal regulations.	
Methods and materials for containment and cleaning up		
Methods for Containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Contain liquid and collect with an inter, non-combustible material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Prevent product from entering drains. Take precautionary measures against static discharges.	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Avoid skin contact. Use with adequate ventilation. Keep container away from heat, flames, and all other sources of ignition. Keep can away from all sources of electricity such as electric motors and batteries. Do not spray on hot surfaces.

Conditions for safe storage, including any incompatibilities

3

Technical measures/Storage conditions	Keep containers tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition .Keep in properly labeled containers. Keep out of the reach of children. Store locked up.
Incompatible products	Strong acids, alkalis, oxidizing agents.

Aerosol Level

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PROPANE/ISOBUTANE/N-BUTANE	74-98-6: TWA: 1000 ppm	74-98-6:TWA: 1000 ppm	74-98-6:IDLH: 2100 ppm
68476-86-8	106-97-8: STEL: 1000 ppm	TWA: 1800 mg/m ³	TWA: 1000 ppm
	75-28-5: STEL: 1000 ppm	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	106-97-8:TWA: 800 ppm
		106-97-8: (vacated) TWA: 800	TWA: 1900 mg/m ³
		ppm	75-28-5:TWA: 800 ppm
		(vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
ISOHEXANE	STEL: 1000 ppm	-	-
107-83-5	TWA: 500 ppm		
3-METHYLPENTANE	STEL: 1000 ppm	-	-
96-14-0	TWA: 500 ppm		
2,3-DIMETHYLBUTANE	STEL: 1000 ppm	-	-
79-29-8	TWA: 500 ppm		
2,2-DIMETHYLBUTANE	STEL: 1000 ppm	-	-
75-83-2	TWA: 500 ppm		
N-HEXANE	TWA: 50 ppm	TWA: 500 ppm	IDLH: 1100 ppm
110-54-3	Skin - potential significant	TWA: 1800 mg/m ³	TWA: 50 ppm
	contribution to overall exposure by		TWA: 180 mg/m ³
	the cutaneous route	(vacated) TWA: 180 mg/m ³	

ACGIH: (American Conference of Governmental Industrial Hygienists) OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).	
Exposure controls		
Engineering Measures	Showers Eyewash stations Ventilation systems.	
Individual protection measures, such as personal protective equipment		
Eye/Face Protection	Safety glasses with side-shields.	
Skin and body protection	Chemical resistant apron. Protective gloves.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.	
9. PHYSICAL AND CHEMICAL PROPERTIES		

Physical and chemical properties

Physical state Appearance Color	Aerosol Clear Clear	Odor Solvent Odor Threshold
<u>Property</u> pH Melting/freezing point Boiling point/boiling range	Values No information available No information available	<u>Remarks • Methods</u>

F01485 - SR1400 SILICONE RELEASE

Flash Point	-96.4 °C / -141 °F No information available	Based on propellant
Evaporation rate	No information available	
Flammability (solid, gas) Flammability Limits in Air		
upper flammability limit lower flammability limit		
Vapor pressure		
Vapor density		
Specific Gravity	0.627	
Water solubility	Practically insoluble	
Partition coefficient: n-octanol/wate	r	
Autoignition temperature	No information available	
Decomposition temperature		
Viscosity	No information available	
Explosive properties		
Other information		
VOC Content(%)	98.68	
10. STABILITY AND REACTIVITY		

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong acids, alkalis, oxidizing agents.

Hazardous Decomposition Products

Carbon oxides , Hydrocarbons, Fumes.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Avoid inhaling vapors or mists. Harmful if inhaled. May cause irritation to respiratory system.
Eye contact	May cause eye irritation.
Skin contact	Causes skin irritation.
Ingestion	Harmful and may be fatal if swallowed and enters airways.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,3-DIMETHYLBUTANE	-	> 5 mL/kg (Rabbit)	-
79-29-8			
2,2-DIMETHYLBUTANE	-	> 5 mL/kg (Rabbit)	-
75-83-2			

N-HEXANE	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h
110-54-3			

Information on toxicological effects

```
Symptoms
```

Causes skin irritation. May cause eye and respiratory irritation May cause dizziness or drowsiness.. Harmful and may be fatal if swallowed and enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Eye damage/irritation Irritation	Causes skin irritation. May cause eye irritation. Causes skin irritation. May cause eye and respiratory irritation.
Sensitization	No information available.
Germ cell mutagenicity	Not a germ cell mutagen.
Carcinogenicity	There are no known carcinogenic chemicals in this product.
Reproductive toxicity	Contains ingredients that are suspected reproductive hazards.
Specific target organ systemic toxicity (single exposure)	May cause respiratory irritation. May cause drowsiness or dizziness.
Specific target organ systemic toxicity (repeated exposure)	May cause damage to Target Organs listed below through prolonged or repeated exposure.
Chronic toxicity	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and potential cardiac arrest.
Target Organ Effects	Respiratory System, Central Nervous System, and Lungs.
Aspiration hazard	May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

0.000006% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
PROPANE/ISOBUTANE/N- BUTANE 68476-86-8	-	-	-	-
N-HEXANE 110-54-3	-	2.1 - 2.98 mg/L LC50 Pimephales promelas 96h flow-through	-	-

Persistence and degradability

Bioaccumulation

Chemical Name	log Pow
PROPANE/ISOBUTANE/N-BUTANE 68476-86-8	2.8
2,2-DIMETHYLBUTANE 75-83-2	3.8

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Dispose of in accordance with federal, state, and local regulations. Waste Disposal Methods

Contaminated packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Ground	LIMITED QUANITY
ΙΑΤΑ	UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD .QTY.
IMDG	UN1950, AEROSOLS, 2.1, LTD.QTY

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
PROPANE/ISOBUTA NE/N-BUTANE	Х	X	Х	x	Х	Х	Х	Х
ISOHEXANE	Х	Х	Х	Х	Х	Х	Х	Х
3-METHYLPENTANE	Х	Х	Х	Х	Х	Х	Х	Х
2,3-DIMETHYLBUTAN E	Х	Х	Х	Х	Х	Х	Х	Х
2,2-DIMETHYLBUTAN E	Х	Х	Х	Х	Х	Х	Х	Х
N-HEXANE	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

<u>SARA 31</u>3

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

CAS-No	Weight %*	SARA 313 - Threshold Values %
110-54-3	1-10	1.0
		110-54-3 1-10

Acute Health Hazard	Yes
Chronic Health Star Hazard	Yes

Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does contain substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
N-HEXANE	5000 lb		RQ 5000 lb final RQ
110-54-3			RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:



This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical Name	California Prop. 65
N-HEXANE - 110-54-3	Developmental, Reproductive (Male) 1-10%

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ISOHEXANE 107-83-5	Х	Х	X
3-METHYLPENTANE 96-14-0		Х	X
2,3-DIMETHYLBUTANE 79-29-8	Х	Х	X
2,2-DIMETHYLBUTANE 75-83-2	Х	Х	X
N-HEXANE 110-54-3	Х	Х	X

EPA Pesticide Registration Number Not applicable

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards -
HMIS	Health Hazard 2*	Flammability 4	Physical Hazard 1	Personal protection B
Chronic Hazard Star Legend	d Chronic He	ealth Hazard/ Repeated or pr	olonged exposure may cause	central nervous system damage
Prepared By	34136 My	Jetway Corporation rtle Street		
Issuing date	07-Jan-20	II 48184-0126		
Revision Date	18-Aug-20			
Revision Note	10-Aug-20	JZ 1		
(M)SDS sections updated	1 14 15			
<u>Disclaimer</u>				
			owledge, information and	
-			afe handling, use, process	sing, storage, fication The information

transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet