


200 Series Brass Extension Plugs - NPT

Features

- Solid brass construction
- NPT tapered thread
- Extends the length of standard connector plugs
- When special length adjustments are required, simply cut the plug to length and taper the pre-cut threads
- Used with standard valved and non-valved socket connectors
- Not for use with "NB" socket connectors
- Longer lengths available on request



U Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/16" NPT Pipe Extensions				
250 X 2 1/2	2 1/2	1/16	3/8	11/16
250 X 4	4	1/16	3/8	13/16
250 X 5 1/2	5 1/2	1/16	3/8	13/16
250 X 7	7	1/16	3/8	13/16
1/8" NPT Pipe Extensions				
251 X 2 1/2	2 1/2	1/8	7/16	11/16
251 X 4	4	1/8	7/16	1
251 X 5 1/2	5 1/2	1/8	7/16	1
251 X 7	7	1/8	7/16	1
251 X 8 1/2	8 1/2	1/8	7/16	1
251 X 10	10	1/8	7/16	1
251 X 11 1/2	11 1/2	1/8	7/16	1
251 X 13	13	1/8	7/16	1


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/4" NPT Pipe Extensions				
252 X 2 1/2	2 1/2	1/4	9/16	7/8
252 X 4	4	1/4	9/16	1 1/4
252 X 5 1/2	5 1/2	1/4	9/16	1 1/4
252 X 7	7	1/4	9/16	1 1/4
252 X 8 1/2	8 1/2	1/4	9/16	1 1/4
252 X 10	10	1/4	9/16	1 1/4
252 X 11 1/2	11 1/2	1/4	9/16	1 1/4
252 X 13	13	1/4	9/16	1 1/4
3/8" NPT Pipe Extensions				
253 X 2 1/2	2 1/2	3/8	11/16	1
253 X 4	4	3/8	11/16	1 1/4
253 X 5 1/2	5 1/2	3/8	11/16	1 1/4
253 X 7	7	3/8	11/16	1 1/4
253 X 8 1/2	8 1/2	3/8	11/16	1 1/4
253 X 10	10	3/8	11/16	1 1/4
253 X 11 1/2	11 1/2	3/8	11/16	1 1/4
253 X 13	13	3/8	11/16	1 1/4



500 Series - Non-Interchange Extension Plugs - NPT

Features

- Brass material
- Extends the length of standard connector plugs
- Use NB non-valved socket connectors
- Error proof waterline hook-ups by using a standard fitting for the hot water hook-up and an “NB” fitting for the cold water hook-up
- NPT tapered thread



U Inch


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
3/8" NPT Pipe Extensions				
553 X 2 1/2NB	2 1/2	3/8	11/16	1
553 X 4NB	4	3/8	11/16	1 1/4
553 X 5 1/2NB	5 1/2	3/8	11/16	1 1/4
553 X 7NB	7	3/8	11/16	1 1/4
553 X 8 1/2NB	8 1/2	3/8	11/16	1 1/4
553 X 10NB	10	3/8	11/16	1 1/4
553 X 11 1/2NB	11 1/2	3/8	11/16	1 1/4
353 X 13NB	13	3/8	11/16	1 1/4
1/2" NPT Pipe Extensions				
554 X 2 1/2NB	2 1/2	1/2	7/8	1 1/8
554 X 4NB	4	1/2	7/8	1 1/2
554 X 5 1/2NB	5 1/2	1/2	7/8	1 1/2
554 X 7NB	7	1/2	7/8	1 1/2
554 X 8 1/2NB	8 1/2	1/2	7/8	1 1/2
554 X 10NB	10	1/2	7/8	1 1/2
554 X 11 1/2NB	11 1/2	1/2	7/8	1 1/2
554 X 13NB	13	1/2	7/8	1 1/2



200 Series - Stainless Steel Extension Plugs - NPT

Features

- NPT threaded threads
- Extends the length of standard connector plugs
- When special length adjustments are required, simply cut the plug to length and taper the pre-cut threads
- Used with standard valved and non-valved socket connectors
- Not for use with "NB" socket connectors
- Longer lengths available on request


 Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/16" NPT SS Pipe Extensions				
250 X 2 1/2 SS	2 1/2	1/16	3/8	11/16
250 X 4 SS	4	1/16	3/8	13/16
250 X 5 1/2 SS	5 1/2	1/16	3/8	13/16
250 X 7 SS	7	1/16	3/8	13/16
1/8" NPT SS Pipe Extensions				
251 X 2 1/2 SS	2 1/2	1/8	7/16	11/16
251 X 4 SS	4	1/8	7/16	1
251 X 5 1/2 SS	5 1/2	1/8	7/16	1
251 X 7 SS	7	1/8	7/16	1
251 X 8 1/2 SS	8 1/2	1/8	7/16	1
251 X 10 SS	10	1/8	7/16	1
251 X 11 1/2 SS	11 1/2	1/8	7/16	1
251 X 13 SS	13	1/8	7/16	1


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/4" NPT SS Pipe Extensions				
252 X 2 1/2 SS	2 1/2	1/4	9/16	7/8
252 X 4 SS	4	1/4	9/16	1 1/4
252 X 5 1/2 SS	5 1/2	1/4	9/16	1 1/4
252 X 7 SS	7	1/4	9/16	1 1/4
252 X 8 1/2 SS	8 1/2	1/4	9/16	1 1/4
252 X 10 SS	10	1/4	9/16	1 1/4
252 X 11 1/2 SS	11 1/2	1/4	9/16	1 1/4
252 X 13 SS	13	1/4	9/16	1 1/4
3/8" NPT SS Pipe Extensions				
253 X 2 1/2 SS	2 1/2	3/8	11/16	1
253 X 4 SS	4	3/8	11/16	1 1/4
253 X 5 1/2 SS	5 1/2	3/8	11/16	1 1/4
253 X 7 SS	7	3/8	11/16	1 1/4
253 X 8 1/2 SS	8 1/2	3/8	11/16	1 1/4
253 X 10 SS	10	3/8	11/16	1 1/4
253 X 11 1/2 SS	11 1/2	3/8	11/16	1 1/4
253 X 13	13	3/8	11/16	1 1/4



200 Series - Brass Extension Plugs - BSPT

Features

- BSPT tapered threads
- Extends the length of standard connector plugs
- When special length adjustments are required, simply cut the plug to length and taper the pre-cut threads
- Used with standard valved and non-valved socket connectors
- Not for use with "NB" socket connectors
- Longer lengths available on request


 Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/16" BSP Brass Pipe Extensions				
250 X 2 1/2-BSP	2 1/2	1/16	3/8	11/16
250 X 4-BSP	4	1/16	3/8	13/16
250 X 5 1/2-BSP	5 1/2	1/16	3/8	13/16
250 X 7-BSP	7	1/16	3/8	13/16
1/8" BSP Brass Pipe Extensions				
251 X 2 1/2-BSP	2 1/2	1/8	7/16	11/16
251 X 4-BSP	4	1/8	7/16	1
251 X 5 1/2-BSP	5 1/2	1/8	7/16	1
251 X 7-BSP	7	1/8	7/16	1
251 X 8 1/2-BSP	8 1/2	1/8	7/16	1
251 X 10-BSP	10	1/8	7/16	1
251 X 11 1/2-BSP	11 1/2	1/8	7/16	1
251 X 13-BSP	13	1/8	7/16	1


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/4" BSP Brass Pipe Extensions				
252 X 2 1/2-BSP	2 1/2	1/4	9/16	7/8
252 X 4-BSP	4	1/4	9/16	1 1/4
252 X 5 1/2-BSP	5 1/2	1/4	9/16	1 1/4
252 X 7-BSP	7	1/4	9/16	1 1/4
252 X 8 1/2-BSP	8 1/2	1/4	9/16	1 1/4
252 X 10-BSP	10	1/4	9/16	1 1/4
252 X 11 1/2-BSP	11 1/2	1/4	9/16	1 1/4
252 X 13-BSP	13	1/4	9/16	1 1/4
3/8" BSP Brass Pipe Extensions				
253 X 2 1/2-BSP	2 1/2	3/8	11/16	1
253 X 4-BSP	4	3/8	11/16	1 1/4
253 X 5 1/2-BSP	5 1/2	3/8	11/16	1 1/4
253 X 7-BSP	7	3/8	11/16	1 1/4
253 X 8 1/2-BSP	8 1/2	3/8	11/16	1 1/4
253 X 10-BSP	10	3/8	11/16	1 1/4
253 X 11 1/2-BSP	11 1/2	3/8	11/16	1 1/4
253 X 13-BSP	13	3/8	11/16	1 1/4



300 Series - Brass Extension Plugs - NPT

Features

- Solid brass construction
- NPT tapered thread
- Extends the length of standard connector plugs
- When special length adjustments are required, simply cut the plug to length and taper the pre-cut threads
- Used with standard valved and non-valved socket connectors
- Not for use with "NB" socket connectors
- Longer lengths available on request


U Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/16" NPT Pipe Extensions				
350 X 2 1/2	2 1/2	1/16	7/8	11/16
350 X 4	4	1/16	1	13/16
350 X 5 1/2	5 1/2	1/16	1	13/16
350 X 7	7	1/16	1	13/16
1/8" NPT Pipe Extensions				
351 X 2 1/2	2 1/2	1/8	7/16	7/8
351 X 4	4	1/8	7/16	1
351 X 5 1/2	5 1/2	1/8	7/16	1
351 X 7	7	1/8	7/16	1
351 X 8 1/2	8 1/2	1/8	7/16	1
351 X 10	10	1/8	7/16	1
351 X 11 1/2	11 1/2	1/8	7/16	1
351 X 13	13	1/8	7/16	1
1/4" NPT Pipe Extensions				
352 X 2 1/2	2 1/2	1/4	9/16	7/8
352 X 4	4	1/4	9/16	1 1/4
352 X 5 1/2	5 1/2	1/4	9/16	1 1/4
352 X 7	7	1/4	9/16	1 1/4
352 X 8 1/2	8 1/2	1/4	9/16	1 1/4
352 X 10	10	1/4	9/16	1 1/4
352 X 11 1/2	11 1/2	1/4	9/16	1 1/4
352 X 13	13	1/4	9/16	1 1/4


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
3/8" NPT Pipe Extensions				
353 X 2 1/2	2 1/2	3/8	11/16	1
353 X 4	4	3/8	11/16	1 1/4
353 X 5 1/2	5 1/2	3/8	11/16	1 1/4
353 X 7	7	3/8	11/16	1 1/4
353 X 8 1/2	8 1/2	3/8	11/16	1 1/4
353 X 10	10	3/8	11/16	1 1/4
353 X 11 1/2	11 1/2	3/8	11/16	1 1/4
353 X 13	13	3/8	11/16	1 1/4
1/2" NPT Pipe Extensions				
354 X 2 1/2	2 1/2	1/2	7/8	1 1/8
354 X 4	4	1/2	7/8	1 1/2
354 X 5 1/2	5 1/2	1/2	7/8	1 1/2
354 X 7	7	1/2	7/8	1 1/2
354 X 8 1/2	8 1/2	1/2	7/8	1 1/2
354 X 10	10	1/2	7/8	1 1/2
354 X 11 1/2	11 1/2	1/2	7/8	1 1/2
354 X 13	13	1/2	7/8	1 1/2



200 Series - Non-Interchange Extension Plugs - NPT

Features

- Solid brass construction
- NPT tapered thread
- Extends the length of standard connector plugs
- Use NB non-valved socket connectors
- Error proof waterline hook-ups by using a standard fitting for the hot water hook-up and an "NB" fitting for the cold water hook-up
- Longer lengths available on request



U Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/16" NPT Pipe Extensions				
250 X 2 1/2NB	2 1/2	1/16	3/8	11/16
250 X 4NB	4	1/16	3/8	13/16
250 X 5 1/2NB	5 1/2	1/16	3/8	13/16
250 X 7NB	7	1/16	3/8	13/16
1/8" NPT Pipe Extensions				
251 X 2 1/2NB	2 1/2	1/8	7/16	1
251 X 4NB	4	1/8	7/16	1
251 X 5 1/2NB	5 1/2	1/8	7/16	1
251 X 7NB	7	1/8	7/16	1
251 X 8 1/2NB	8 1/2	1/8	7/16	1
251 X 10NB	10	1/8	7/16	1
251 X 11 1/2NB	11 1/2	1/8	7/16	1
251 X 13NB	13	1/8	7/16	1


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/4" NPT Pipe Extensions				
252 X 2 1/2NB	2 1/2	1/4	9/16	7/8
252 X 4NB	4	1/4	9/16	1 1/4
252 X 5 1/2NB	5 1/2	1/4	9/16	1 1/4
252 X 7NB	7	1/4	9/16	1 1/4
252 X 8 1/2NB	8 1/2	1/4	9/16	1 1/4
252 X 10NB	10	1/4	9/16	1 1/4
252 X 11 1/2NB	11 1/2	1/4	9/16	1 1/4
252 X 13NB	13	1/4	9/16	1 1/4
3/8" NPT Pipe Extensions				
253 X 2 1/2NB	2 1/2	3/8	11/16	1
253 X 4NB	4	3/8	11/16	1 1/4
253 X 5 1/2NB	5 1/2	3/8	11/16	1 1/4
253 X 7NB	7	3/8	11/16	1 1/4
253 X 8 1/2NB	8 1/2	3/8	11/16	1 1/4
253 X 10NB	10	3/8	11/16	1 1/4
253 X 11 1/2NB	11 1/2	3/8	11/16	1 1/4
253 X 13NB	13	3/8	11/16	1 1/4



300 Series - Stainless Steel Extension Plugs - NPT

Features

- Stainless Steel construction
- NPT tapered thread
- Extends the length of standard connector plugs
- When special length adjustments are required, simply cut the plug to length and taper the pre-cut threads
- Used with standard valved and non-valved socket connectors
- Not for use with "NB" socket connectors
- Longer lengths available on request
- Not for use with "NB" socket connectors


U Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/16" NPT SS Pipe Extensions				
350 X 2 1/2 SS	2 1/2	1/16	3/8	11/16
350 X 4 SS	4	1/16	3/8	13/16
350 X 5 1/2 SS	5 1/2	1/16	3/8	13/16
350 X 7 SS	7	1/16	3/8	13/16
1/8" NPT SS Pipe Extensions				
351 X 2 1/2 SS	2 1/2	1/8	7/16	1
351 X 4 SS	4	1/8	7/16	1
351 X 5 1/2 SS	5 1/2	1/8	7/16	1
351 X 7 SS	7	1/8	7/16	1
351 X 8 1/2 SS	8 1/2	1/8	7/16	1
351 X 10 SS	10	1/8	7/16	1
351 X 11 1/2 SS	11 1/2	1/8	7/16	1
351 X 13 SS	13	1/8	7/16	1
1/4" NPT SS Pipe Extensions				
352 X 2 1/2 SS	2 1/2	1/4	9/16	7/8
352 X 4 SS	4	1/4	9/16	1 1/4
352 X 5 1/2 SS	5 1/2	1/4	9/16	1 1/4
352 X 7 SS	7	1/4	9/16	1 1/4
352 X 8 1/2 SS	8 1/2	1/4	9/16	1 1/4
352 X 10 SS	10	1/4	9/16	1 1/4
352 X 11 1/2 SS	11 1/2	1/4	9/16	1 1/4
352 X 13 SS	13	1/4	9/16	1 1/4


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
3/8" NPT SS Pipe Extensions				
353 X 2 1/2 SS	2 1/2	3/8	11/16	1
353 X 4 SS	4	3/8	11/16	1 1/4
353 X 5 1/2 SS	5 1/2	3/8	11/16	1 1/4
353 X 7 SS	7	3/8	11/16	1 1/4
353 X 8 1/2 SS	8 1/2	3/8	11/16	1 1/4
353 X 10 SS	10	3/8	11/16	1 1/4
353 X 11 1/2 SS	11 1/2	3/8	11/16	1 1/4
353 X 13	13	3/8	11/16	1 1/4
1/2" NPT SS Pipe Extensions				
354 X 2 1/2 SS	2 1/2	1/2	7/8	1 1/8
354 X 4 SS	4	1/2	7/8	1 1/2
354 X 5 1/2 SS	5 1/2	1/2	7/8	1 1/2
354 X 7 SS	7	1/2	7/8	1 1/2
354 X 8 1/2 SS	8 1/2	1/2	7/8	1 1/2
354 X 10 SS	10	1/2	7/8	1 1/2
354 X 11 1/2 SS	11 1/2	1/2	7/8	1 1/2
354 X 13	13	1/2	7/8	1 1/2



300 Series - Non-Interchange Extension Plugs - NPT

Features

- Solid brass construction
- NPT tapered thread
- Extends the length of standard connector plugs
- Use NB non-valved socket connectors
- Error proof waterline hook-ups by using a standard fitting for the hot water hook-up and an "NB" fitting for the cold water hook-up
- Longer lengths available on request



U Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/16" NPT Pipe Extensions				
350 X 2 1/2NB	2 1/2	1/16	3/8	11/16
350 X 4NB	4	1/16	3/8	13/16
350 X 5 1/2NB	5 1/2	1/16	3/8	13/16
350 X 7NB	7	1/16	3/8	13/16
1/8" NPT Pipe Extensions				
351 X 2 1/2NB	2 1/2	1/8	7/16	1
351 X 4NB	4	1/8	7/16	1
351 X 5 1/2NB	5 1/2	1/8	7/16	1
351 X 7NB	7	1/8	7/16	1
351 X 8 1/2NB	8 1/2	1/8	7/16	1
351 X 10NB	10	1/8	7/16	1
351 X 11 1/2NB	11 1/2	1/8	7/16	1
351 X 13NB	13	1/8	7/16	1
1/4" NPT Pipe Extensions				
352 X 2 1/2NB	2 1/2	1/4	9/16	7/8
352 X 4NB	4	1/4	9/16	1 1/4
352 X 5 1/2NB	5 1/2	1/4	9/16	1 1/4
352 X 7NB	7	1/4	9/16	1 1/4
352 X 8 1/2NB	8 1/2	1/4	9/16	1 1/4
352 X 10NB	10	1/4	9/16	1 1/4
352 X 11 1/2NB	11 1/2	1/4	9/16	1 1/4
352 X 13NB	13	1/4	9/16	1 1/4


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
3/8" NPT Pipe Extensions				
353 X 2 1/2NB	2 1/2	3/8	11/16	1
353 X 4NB	4	3/8	11/16	1 1/4
353 X 5 1/2NB	5 1/2	3/8	11/16	1 1/4
353 X 7NB	7	3/8	11/16	1 1/4
353 X 8 1/2NB	8 1/2	3/8	11/16	1 1/4
353 X 10NB	10	3/8	11/16	1 1/4
353 X 11 1/2NB	11 1/2	3/8	11/16	1 1/4
353 X 13NB	13	3/8	11/16	1 1/4
1/2" NPT Pipe Extensions				
354 X 2 1/2NB	2 1/2	1/2	7/8	1 1/8
354 X 4NB	4	1/2	7/8	1 1/2
354 X 5 1/2NB	5 1/2	1/2	7/8	1 1/2
354 X 7NB	7	1/2	7/8	1 1/2
354 X 8 1/2NB	8 1/2	1/2	7/8	1 1/2
354 X 10NB	10	1/2	7/8	1 1/2
354 X 11 1/2NB	11 1/2	1/2	7/8	1 1/2
354 X 13NB	13	1/2	7/8	1 1/2



500 Series - Brass Extension Plugs - NPT

Features

- Solid brass construction
- NPT tapered thread
- Extends the length of standard connector plugs
- When special length adjustments are required, simply cut the plug to length and taper the pre-cut threads
- Used with standard valved and non-valved socket connectors
- Not for use with "NB" socket connectors
- Longer lengths available on request



U Inch


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
3/8" NPT Pipe Extensions				
553 X 2 1/2	2 1/2	3/8	13/16	1 1/8
553 X 4	4	3/8	13/16	1 1/4
553 X 5 1/2	5 1/2	3/8	13/16	1 1/4
553 X 7	7	3/8	13/16	1 1/4
553 X 8 1/2	8 1/2	3/8	13/16	1 1/4
553 X 10	10	3/8	13/16	1 1/4
553 X 11 1/2	11 1/2	3/8	13/16	1 1/4
553 X 13	13	3/8	13/16	1 1/4
1/2" NPT Pipe Extensions				
554 X 2 1/2	2 1/2	1/2	7/8	1 1/8
554 X 4	4	1/2	7/8	1 1/2
554 X 5 1/2	5 1/2	1/2	7/8	1 1/2
554 X 7	7	1/2	7/8	1 1/2
554 X 8 1/2	8 1/2	1/2	7/8	1 1/2
554 X 10	10	1/2	7/8	1 1/2
554 X 11 1/2	11 1/2	1/2	7/8	1 1/2
554 X 13	13	1/2	7/8	1 1/2



300 Series - Brass Extension Plugs - BSPT

Features

- Solid brass construction
- BSPT tapered thread
- Extends the length of standard connector plugs
- When special length adjustments are required, simply cut the plug to length and taper the pre-cut threads
- Used with standard valved and non-valved socket connectors
- Not for use with "NB" socket connectors
- Longer lengths available on request



U Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
1/16" BSP Pipe Extensions				
350 X 2 1/2-BSP	2 1/2	1/16	3/8	11/16
350 X 4-BSP	4	1/16	3/8	13/16
350 X 5 1/2-BSP	5 1/2	1/16	3/8	13/16
350 X 7-BSP	7	1/16	3/8	13/16
1/8" BSP Pipe Extensions				
351 X 2 1/2-BSP	2 1/2	1/8	7/16	1
351 X 4-BSP	4	1/8	7/16	1
351 X 5 1/2-BSP	5 1/2	1/8	7/16	1
351 X 7-BSP	7	1/8	7/16	1
351 X 8 1/2-BSP	8 1/2	1/8	7/16	1
351 X 10-BSP	10	1/8	7/16	1
351 X 11 1/2-BSP	11 1/2	1/8	7/16	1
351 X 13-BSP	13	1/8	7/16	1
1/4" BSP Pipe Extensions				
352 X 2 1/2-BSP	2 1/2	1/4	9/16	7/8
352 X 4-BSP	4	1/4	9/16	1 1/4
352 X 5 1/2-BSP	5 1/2	1/4	9/16	1 1/4
352 X 7-BSP	7	1/4	9/16	1 1/4
352 X 8 1/2-BSP	8 1/2	1/4	9/16	1 1/4
352 X 10-BSP	10	1/4	9/16	1 1/4
352 X 11 1/2-BSP	11 1/2	1/4	9/16	1 1/4
352 X 13-BSP	13	1/4	9/16	1 1/4


ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
3/8" BSP Pipe Extensions				
353 X 2 1/2-BSP	2 1/2	3/8	1 1/16	1
353 X 4-BSP	4	3/8	1 1/16	1 1/4
353 X 5 1/2-BSP	5 1/2	3/8	1 1/16	1 1/4
353 X 7-BSP	7	3/8	1 1/16	1 1/4
353 X 8 1/2-BSP	8 1/2	3/8	1 1/16	1 1/4
353 X 10-BSP	10	3/8	1 1/16	1 1/4
353 X 11 1/2-BSP	11 1/2	3/8	1 1/16	1 1/4
353 X 13-BSP	13	3/8	1 1/16	1 1/4
1/2" BSP Pipe Extensions				
354 X 2 1/2-BSP	2 1/2	1/2	1 7/8	1 1/8
354 X 4-BSP	4	1/2	1 7/8	1 1/2
354 X 5 1/2-BSP	5 1/2	1/2	1 7/8	1 1/2
354 X 7-BSP	7	1/2	1 7/8	1 1/2
354 X 8 1/2-BSP	8 1/2	1/2	1 7/8	1 1/2
354 X 10-BSP	10	1/2	1 7/8	1 1/2
354 X 11 1/2-BSP	11 1/2	1/2	1 7/8	1 1/2
354 X 13-BSP	13	1/2	1 7/8	1 1/2



500 Series - Stainless Steel Extension Plugs - NPT

Features

- Stainless Steel construction
- NPT tapered thread
- Extends the length of standard connector plugs
- When special length adjustments are required, simply cut the plug to length and taper the pre-cut threads
- Used with standard valved and non-valved socket connectors
- Not for use with "NB" socket connectors
- Longer lengths available on request



U Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
3/8" NPT Pipe Extensions				
553 X 2 1/2 SS	2 1/2	3/8	11/16	1
553 X 4 SS	4	3/8	11/16	1 1/4
553 X 5 1/2 SS	5 1/2	3/8	11/16	1 1/4
553 X 7 SS	7	3/8	11/16	1 1/4
553 X 8 1/2 SS	8 1/2	3/8	11/16	1 1/4
553 X 10 SS	10	3/8	11/16	1 1/4
553 X 11 1/2 SS	11 1/2	3/8	11/16	1 1/4
553 X 13	13	3/8	11/16	1 1/4
1/2" NPT Pipe Extensions				
554 X 2 1/2 SS	2 1/2	1/2	7/8	1 1/8
554 X 4 SS	4	1/2	7/8	1 1/2
554 X 5 1/2 SS	5 1/2	1/2	7/8	1 1/2
554 X 7 SS	7	1/2	7/8	1 1/2
554 X 8 1/2 SS	8 1/2	1/2	7/8	1 1/2
554 X 10 SS	10	1/2	7/8	1 1/2
554 X 11 1/2 SS	11 1/2	1/2	7/8	1 1/2
554 X 13 SS	13	1/2	7/8	1 1/2



Replacement Connector Seals

Features

- Silicone (Red) & Viton (Black) seals available
- Used with valved and non-valved socket connectors



Max Operating Temperature: 400°F (204°C)

U Inch

ITEM NO.	MATERIAL
200 Series (1/4" Hole)	
PS-200-6	Silicone
CM-200Y	Viton

ITEM NO.	MATERIAL
300 Series (3/8" Hole)	
PS-300-6	Silicone
CM-300Y	Viton


ITEM NO.	MATERIAL
500 Series (1/2" Hole)	
PS-500-6	Silicone
CM-500Y	Viton

Safety Clips

Features

- Reduces the potential of the accidental release of waterline socket connectors
- Color coded for hot and cold waterlines
- Can be used on all socket connectors

ITEM NO.	SERIES	COLOR
SC200-B	200	Blue
SC300-B	300	Blue
SC500-B	500	Blue
SC200-R	200	Red
SC300-R	300	Red
SC500-R	500	Red



Brass Cover Plugs

Features

- Stops hose drainage during mold changes
- Conveniently snaps into socket connectors to stop coolant flow
- Plugs extra machine cooling manifold ports




ITEM NO.	FITS SOCKET SERIES
CP-200	200
CP-300	300
CP-500	500



500 Series - Brass Extension Plugs - BSPT

Features

- Solid brass construction
- BSPT tapered thread
- Extends the length of standard connector plugs
- When special length adjustments are required, simply cut the plug to length and taper the pre-cut threads
- Used with standard valved and non-valved socket connectors
- Not for use with "NB" socket connectors



U Inch

ITEM NO.	L	PIPE SIZE NPT	HEX SIZE	A
3/8" BSP Pipe Extensions				
553 X 2 1/2-BSP	2 1/2	3/8	13/16	1
553 X 4-BSP	4	3/8	13/16	1 1/4
553 X 5 1/2-BSP	5 1/2	3/8	13/16	1 1/4
553 X 7-BSP	7	3/8	13/16	1 1/4
553 X 8 1/2-BSP	8 1/2	3/8	13/16	1 1/4
553 X 10-BSP	10	3/8	13/16	1 1/4
553 X 11 1/2-BSP	11 1/2	3/8	13/16	1 1/4
553 X 13-BSP	13	3/8	13/16	1 1/4
1/2" BSP Pipe Extensions				
554 X 2 1/2-BSP	2 1/2	1/2	7/8	1 1/8
554 X 4-BSP	4	1/2	7/8	1 1/2
554 X 5 1/2-BSP	5 1/2	1/2	7/8	1 1/2
554 X 7-BSP	7	1/2	7/8	1 1/2
554 X 8 1/2-BSP	8 1/2	1/2	7/8	1 1/2
554 X 10-BSP	10	1/2	7/8	1 1/2
554 X 11 1/2-BSP	11 1/2	1/2	7/8	1 1/2
554 X 13-BSP	13	1/2	7/8	1 1/2



Male Connector Plugs - Brass


U Inch

ITEM NO.	PIPE THREAD	FLOW DIA
200 Series (1/4" Hole)		
PC-250	1/16	3/16
PC-251	1/8	1/4
PC-252	1/4	1/4
PC-253	3/8	1/4
PC-251-BSP	1/8	1/4
PC-252-BSP	1/4	1/4
PC-253-BSP	3/8	1/4

ITEM NO.	PIPE THREAD	FLOW DIA
300 Series (3/8" Hole)		
PC-351	1/8	1/4
PC-352	1/4	3/8
PC-353	3/8	3/8
PC-354	1/2	3/8
PC-351-BSP	1/8	1/4
PC-352-BSP	1/4	3/8
PC-353-BSP	3/8	3/8
PC-354-BSP	1/2	3/8

ITEM NO.	PIPE THREAD	FLOW DIA
500 Series (1/2" Hole)		
PC-552	1/4	3/8
PC-553	3/8	1/2
PC-554	1/2	5/8
PC-556	3/4	5/8
PC-552-BSP	1/4	3/8
PC-553-BSP	3/8	1/2
PC-554-BSP	1/2	5/8

Male Connector Plugs - Stainless

Features

- Stainless steel construction
- Used with valved and non-valved socket connectors
- NPT and BSPT thread
- BSPT plugs have ID mark


U Inch

ITEM NUMBER	Pipe Thread	Flow Dia
200 Series (1/4" Hole)		
250-SS	1/16	3/16
251-SS	1/8	1/4
252-SS	1/4	1/4
253-SS	3/8	1/4
251-BSP-SS	1/8	1/4
252-BSP-SS	1/4	1/4

ITEM NUMBER	Pipe Thread	Flow Dia
300 Series (3/8" Hole)		
351-SS	1/8	1/4
352-SS	1/4	3/8
353-SS	3/8	3/8
354-SS	1/2	3/8
351-BSP-SS	1/8	1/4
352-BSP-SS	1/4	3/8
353-BSP-SS	3/8	3/8


ITEM NUMBER	Pipe Thread	Flow Dia
500 Series (1/2" Hole)		
552-SS	1/4	3/8
553-SS	3/8	1/2
554-SS	1/2	5/8
556-SS	3/4	5/8
553-BSP-SS	3/8	1/2
554-BSP-SS	1/2	5/8



Male Connector Plugs - Brass - Non Interchange

Features

- Solid brass construction
- Use with non-valved socket connectors with "NB" suffix
- Error proof waterline hook up using standard fittings for return and "NB" fitting for supply
- NPT thread

**U** Inch

ITEM NO.	PIPE THREAD	FLOW DIA
200 Series (1/4" Hole)		
PC-250NB	1/16	3/16
PC-251NB	1/8	1/4
PC-252NB	1/4	1/4
PC-253NB	3/8	1/4


ITEM NO.	PIPE THREAD	FLOW DIA
300 Series (3/8" Hole)		
PC-351NB	1/8	1/4
PC-352NB	1/4	3/8
PC-353NB	3/8	3/8

ITEM NO.	PIPE THREAD	FLOW DIA
500 Series (1/2" Hole)		
PC-552NB	1/4	3/8
PC-553NB	3/8	1/2
PC-554NB	1/2	5/8
PC-556NB	3/4	5/8

Female Connector Plugs - Brass

Features

- Solid brass construction
- Used with valved and non-valved socket connectors
- NPT and BSPT thread
- BSPT plugs have ID mark

**U** Inch

ITEM NO.	PIPE THREAD	FLOW DIA
200 Series (1/4" Hole)		
PC-250F	1/16	1/4
PC-251F	1/8	1/4
PC-252F	1/4	1/4
PC-253F	3/8	1/4
PC-251F-BSP	1/8	1/4
PC-252F-BSP	1/4	1/4

ITEM NO.	PIPE THREAD	FLOW DIA
300 Series (3/8" Hole)		
PC-351F	1/8	1/4
PC-352F	1/4	3/8
PC-353F	3/8	3/8
PC-354F	1/2	3/8
PC-351F-BSP	1/8	1/4
PC-352F-BSP	1/4	3/8
PC-353F-BSP	3/8	3/8

ITEM NO.	PIPE THREAD	FLOW DIA
500 Series (1/2" Hole)		
PC-552F	1/4	7/16
PC-553F	3/8	9/16
PC-554F	1/2	5/8
PC-556F	3/4	5/8
PC-553F-BSP	3/8	9/16
PC-554F-BSP	1/2	5/8



Female Connector Plugs - Stainless

Features

- Stainless steel construction
- Used with valved and non-valved socket connectors
- NPT and BSPT thread
- BSPT plugs have ID mark



U Inch

ITEM NO.	PIPE THREAD	FLOW DIA
200 Series (1/4" Hole)		
250-FB-SS	1/16	1/4
251-FB-SS	1/8	1/4
252-FB-SS	1/4	1/4
253-FB-SS	3/8	1/4
251-FB-SS-BSP	1/8	1/4
252-FB-SS-BSP	1/4	1/4

ITEM NO.	PIPE THREAD	FLOW DIA
300 Series (3/8" Hole)		
351-FB-SS	1/8	1/4
352-FB-SS	1/4	3/8
353-FB-SS	3/8	3/8
354-FB-SS	1/2	3/8
351-FB-SS-BSP	1/8	1/4
352-FB-SS-BSP	1/4	3/8
353-FB-SS-BSP	3/8	3/8

ITEM NO.	PIPE THREAD	FLOW DIA
500 Series (1/2" Hole)		
552-FB-SS	1/4	7/16
553-FB-SS	3/8	9/16
554-FB-SS	1/2	5/8
556-FB-SS	3/4	5/8
553FB-SS-BSP	3/8	9/16
554FB-SS-BSP	1/2	5/8

Female Connector Plugs - Brass - Non Interchange

Features

- Solid brass construction
- Use with non-valved socket connectors with "NB" suffix
- Error proof waterline hook up using standard fittings for return and "NB" fitting for supply
- NPT thread



U Inch

ITEM NO.	PIPE THREAD	FLOW DIA
200 Series (1/4" Hole)		
PC-250FNB	1/16	1/4
PC-251FNB	1/8	1/4
PC-252FNB	1/4	1/4
PC-253FNB	3/8	1/4

ITEM NO.	PIPE THREAD	FLOW DIA
300 Series (3/8" Hole)		
PC-351FNB	1/8	1/4
PC-352FNB	1/4	3/8
PC-353FNB	3/8	3/8
PC-354FNB	1/2	3/8


ITEM NO.	PIPE THREAD	FLOW DIA
500 Series (1/2" Hole)		
PC-552FNB	1/4	7/16
PC-553FNB	3/8	9/16
PC-554FNB	1/2	5/8
PC-556FNB	3/4	5/8



Non-Valved Socket Connectors - Standard Barbs

Features

- Locks for safety with a twist
- Provide reliable connections to non-NB extension or connection plugs
- Straight through design provides maximum flow
- All brass and stainless steel construction
- Pressures to 200 psi, temp to 400F
- Hose clamp required


U Inch


ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-204	1/4
PS-205	5/16
PS-206	3/8

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-306	3/8
PS-308	1/2

ITEM NUMBER	Hose ID
500 Series (1/2" Hole)	
PS-504	1/2
PS-506	3/4



ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-224	1/4
PS-225	5/16
PS-226	3/8

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-326	3/8
PS-328	1/2

ITEM NUMBER	Hose ID
500 Series (1/2" Hole)	
PS-524	1/2
PS-526	3/4



ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-214	1/4
PS-215	5/16
PS-216	3/8

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-316	3/8
PS-318	1/2

ITEM NUMBER	Hose ID
500 Series (1/2" Hole)	
PS-514	1/2
PS-516	3/4

Non-Valved Socket - Body Only - Straight

Features

- Flow-thru design
- All brass and stainless steel construction
- Pressures to 200 psi, temp to 400F
- NPT thread


U Inch

ITEM NUMBER	Thread Size
200 Series (1/4" Hole)	
CMB-200	1/8
CMB-200-1/4	1/4

ITEM NUMBER	Thread Size
300 Series (3/8" Hole)	
CMB-300	1/4
CMB-300-3/8	3/8


ITEM NUMBER	Thread Size
500 Series (1/2" Hole)	
CMB-500	1/2



Non-Valved Socket Connectors Non - Interchange

Features

- Flow-thru design
- Eliminate IN/OUT connection mistakes
- Control flow direction - Every time
- Faster changeovers - no guesswork
- Flow diameters and clearance requirements remain the same



U Inch



Straight



90 Deg.


ITEM NUMBER	Hose ID	ITEM NUMBER	Hose ID	ITEM NUMBER	Hose ID
200 Series (1/4" Hole)		300 Series (3/8" Hole)		500 Series (1/2" Hole)	
PS-204NB	1/4	PS-306NB	3/8	PS-506NB	1/2
PS-206NB	3/8	PS-308NB	1/2		

ITEM NUMBER	Hose ID	ITEM NUMBER	Hose ID
200 Series (1/4" Hole)		300 Series (3/8" Hole)	
PS-216NB	3/8	PS-318NB	1/2

Non-Valved Socket Non-Interchange - Bodies Only

Features

- Flow-thru design
- Eliminate IN/OUT connection mistakes
- Multiple thread sizes



U Inch


ITEM NUMBER	Thread Size	ITEM NUMBER	Thread Size	ITEM NUMBER	Thread Size
200 Series (1/4" Hole)		300 Series (3/8" Hole)		500 Series (1/2" Hole)	
CMB-200-NB	1/8	CMB-300-NB	1/4	CMB-500-NB	1/2
CMB-200-1/4-NB	1/4	CMB-300-3/8-NB	3/8		



Non-Valved Socket Connectors - Push-Lok Barbs

Features

- Locks for safety with a twist
- Provide reliable connections to non-NB extension or connection plugs
- Straight through design provides maximum flow
- All brass and stainless steel construction
- Pressures to 200 psi, temp to 400F


U Inch


ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-204P	1/4
PS-205P	5/16
PS-206P	3/8

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-306P	3/8
PS-308P	1/2

ITEM NUMBER	Hose ID
500 Series (1/2" Hole)	
PS-504P	1/2
PS-506P	3/4



ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-224P	1/4
PS-225P	5/16
PS-226	3/8

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-326P	3/8
PS-328P	1/2

ITEM NUMBER	Hose ID
500 Series (1/2" Hole)	
PS-524P	1/2
PS-526P	3/4



ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-214P	1/4
PS-215P	5/16
PS-216P	3/8



ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-316P	3/8
PS-318P	1/2

ITEM NUMBER	Hose ID
500 Series (1/2" Hole)	
PS-514P	1/2
PS-516P	3/4

Non-Valved Socket Body Only - 90 Degree

Features

- 90° design
- All brass and stainless steel construction
- Pressures to 200 psi, temp to 400F
- NPT thread



ITEM NO.	Pipe Size	L	E
200 Series (1/4" Hole)			
CMB-200-90	1/8	1 11/16	9/32

U Inch

ITEM NO.	Pipe Size	L	E
300 Series (3/8" Hole)			
CMB-300-90	1/4	2 1/8	11/32


ITEM NO.	Pipe Size	L	E
500 Series (1/2" Hole)			
CMB-500-90	1/2	2 7/8	17/32



Valved Connectors - Standard Barbs

Features

- Provide reliable connections to non-NB extension or connection plugs
- Straight, 45° & 90°
- These couplers will open all valved connectors
- Compatible with all mold connection systems
- Sleeve is plated for easy identification
- All brass and stainless steel construction
- Pressures to 200 psi, temp to 400F



Straight

U Inch

ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-204V	1/4
PS-205V	5/16
PS-206V	3/8

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-306V	3/8
PS-308V	1/2



45 Deg.

ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-224V	1/4
PS-225V	5/16
PS-226V	3/8

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-326V	3/8
PS-328V	1/2



90 Deg.

ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-214V	1/4
PS-215V	5/16
PS-216V	3/8

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-316V	3/8
PS-318V	1/2



Valved Connectors - Push-Lok Barbs

Features

- Provide reliable connections to non-NB extension or connection plugs
- Straight, 45° & 90°
- These couplers will open all valved connectors
- Compatible with all mold connection systems
- Sleeve is plated for easy identification
- All brass and stainless steel construction
- Pressures to 200 psi, temp to 400F



Straight



45 Deg.



90 Deg.

 Inch

ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-204P	1/4
PS-205P	5/16
PS-206P	3/8

ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-224P	1/4
PS-225P	5/16
PS-226P	3/8

ITEM NUMBER	Hose ID
200 Series (1/4" Hole)	
PS-214P	1/4
PS-215P	5/16
PS-216P	3/8

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-306P	3/8
PS-308P	1/2

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-326P	3/8
PS-328P	1/2

ITEM NUMBER	Hose ID
300 Series (3/8" Hole)	
PS-316P	3/8
PS-318P	1/2

Valved Connectors - Body Only

Features

- Includes valve and valve spring
- Sleeve is plated for easy identification
- All brass and stainless steel construction
- Pressures to 200 psi, temp to 400F
- NPT thread


 Inch

ITEM NUMBER	Thread Size
200 Series (1/4" Hole)	
CMB-200-V	1/8

ITEM NUMBER	Thread Size
300 Series (3/8" Hole)	
CMB-300-V	1/4



Push-Lok Hose Barbs


Features

- Solid Brass Construction
- Does not require the use of hose clamps

Push-Lok Hose Barbs are used to securely attach hose and do not require the use of hose clamps when used with Push-Lok hose.

U Inch

ITEM NO.	HOSE I.D.	PIPE SIZE
PLM-04-02	1/4	1/8
PLM-04-04	1/4	1/4
PLM-06-02	3/8	1/8
PLM-06-04	3/8	1/4
PLM-06-06	3/8	3/8
PLM-06-08	3/8	1/2
PLM-08-06	1/2	3/8
PLM-08-08	1/2	1/2
PLM-12-08	3/4	1/2
PLM-12-12	3/4	3/4




Combination Hose Inserts

Features

- Eliminates multi-fittings
- Excellent for retaining hose

Constructed of solid brass, Combination Hose Inserts eliminate the need for multiple fittings and assembly. Combination Hose Inserts allow hoses to be linked together in series.



U Inch

ITEM NO.	HOSE I.D.	D FLOW DIAMETER	M BARB AREA LENGTH	L OVERALL LENGTH	FITS SOCKET SERIES
CM2-250	1/4	3/16	7/8	1-3/8	200
CM2-312	5/16	1/4	7/8	1-3/8	200
CM2-375	3/8	1/4	1-1/16	1-9/16	200
CM3-375	3/8	9/32	1-1/16	1-13/16	300
CM3-500	1/2	11/32	1-1/16	1-13/16	300
CM5-500	1/2	13/32	1-1/16	2	500
CM5-750	3/4	9/16	1-1/2	2-1/2	500

