


Metric DIN Nitrided Ejector Pins

- Manufactured from premium hotwork steel
- Nitrided surface reduces galling
- Custom sizes available upon request

SPECIFICATIONS	
Standard	Metric DIN
Material	H-13 / 1.2344 Steel
Core Hardness	42 - 47 Rc
Surface Hardness	Nitrided 65 - 74 Rc



For current product offering visit www.pcs-company.com

CATALOG NO.	D PIN DIA.	H HEAD DIA.	T HEAD THICK.	R RADIUS	L OVERALL LENGTH										
					100	125	160	200	250	315	400	500	630	800	1000
MP012-	1.2	2.5	1.2	0.2	•		•								
MP015-	1.5	3	1.5	0.2	•	•	•	•							
MP02-	2	4	2	0.2	•	•	•	•	•	•					
MP022-	2.2	4	2	0.2	•	•		•	•	•					
MP025-	2.5	5	2	0.3		•	•	•	•	•					
MP027-	2.7	5	2	0.3		•	•	•	•	•					
MP03-	3	6	3	0.3	•	•	•	•	•	•	•	•			
MP032-	3.2	6	3	0.3		•	•	•	•	•	•				
MP035-	3.5	7	3	0.3		•	•	•	•	•	•				
MP037-	3.7	7	3	0.3		•	•	•	•	•	•				
MP04-	4	8	3	0.3	•	•	•	•	•	•	•	•	•	•	
MP041-	4.1	8	3	0.3					•						
MP042-	4.2	8	3	0.3		•	•	•	•	•	•				

Add length to end of catalog number (i.e. MP012-100)


Continued on next page

Metric DIN Nitrided Ejector Pins

- Manufactured from premium hotwork steel
- Nitrided surface reduces galling
- Custom sizes available upon request



SPECIFICATIONS	
Standard	Metric DIN
Material	H-13 / 1.2344 Steel
Core Hardness	42 - 47 Rc
Surface Hardness	Nitrided 65 - 74 Rc



For current product offering visit www.pcs-company.com

CATALOG NO.	D PIN DIA.	H HEAD DIA.	T HEAD THICK.	R RADIUS	L OVERALL LENGTH										
					100	125	160	200	250	315	400	500	630	800	1000
MP045-	4.5	8	3	0.3	•	•	•	•	•		•				
MP05-	5	10	3	0.3		•	•	•	•	•	•	•	•	•	
MP052-	5.2	10	3	0.3		•	•	•	•	•	•	•			
MP055-	5.5	10	3	0.3		•	•	•	•	•	•	•			
MP06-	6	12	5	0.5		•	•	•	•	•	•	•	•	•	•
MP061-	6.1	12	5	0.5					•						
MP062-	6.2	12	5	0.5	•	•	•	•	•	•	•	•	•		
MP065-	6.5	12	5	0.5	•	•	•	•	•	•	•	•			
MP07-	7	12	5	0.5		•	•	•	•	•	•	•	•		
MP075-	7.5	12	5	0.5					•		•				
MP08-	8	14	5	0.5		•	•	•	•	•	•	•	•	•	•
MP082-	8.2	14	5	0.5		•		•	•	•	•	•	•	•	
MP085-	8.5	14	5	0.5	•	•	•	•	•	•	•	•	•		
MP09-	9	14	5	0.5	•	•	•	•	•	•	•	•	•		


Add length to end of catalog number (i.e. MP045-100)

Continued on next page

Metric DIN Nitrided Ejector Pins

- Manufactured from premium hotwork steel
- Nitrided surface reduces galling
- Custom sizes available upon request

SPECIFICATIONS	
Standard	Metric DIN
Material	H-13 / 1.2344 Steel
Core Hardness	42 - 47 Rc
Surface Hardness	Nitrided 65 - 74 Rc



For current product offering visit www.pcs-company.com

CATALOG NO.	D PIN DIA.	H HEAD DIA.	T HEAD THICK.	R RADIUS	L OVERALL LENGTH										
					100	125	160	200	250	315	400	500	630	800	1000
MP095-	9.5	14	5	0.5					•	•					
MP10-	10	16	5	0.5		•	•	•	•	•	•	•	•	•	•
MP102-	10.2	16	5	0.5	•	•	•	•	•	•	•	•	•	•	
MP105-	10.5	16	5	0.5	•	•	•	•	•				•		
MP11-	11	16	5	0.5		•	•	•	•	•	•	•	•		
MP12-	12	18	7	0.8	•	•	•	•	•	•	•	•	•	•	•
MP122-	12.2	18	7	0.8	•	•	•	•	•	•	•	•	•	•	
MP125-	12.5	18	7	0.8	•	•	•	•	•	•	•	•	•	•	
MP14-	14	22	7	0.8	•	•	•	•	•	•	•	•	•	•	•
MP16-	16	22	7	0.8		•	•	•	•	•	•	•	•	•	•
MP162-	16.2	22	7	0.8					•						
MP18-	18	24	7	0.8	•	•	•	•	•	•	•	•	•	•	•
MP20-	20	26	8	1.1	•	•	•	•	•	•	•	•	•	•	•
MP25-	25	32	10	1.1			•	•	•	•	•	•	•	•	•
MP32-	32	40	10	1.1			•	•	•	•	•	•	•	•	

Add length to end of catalog number (i.e. MP095-250)

Phone: 800-521-0546 E-mail: sales@pcs-company.com Fax: 800-505-3299
www.pcs-company.com