



Flat Faced Precision Gate Cutter - 4 1/2" (117 mm)

- · Flat faced blades
- For sprues up to 6 mm diameter








Flat Faced Precision Gate Cutter - 5" (127 mm)

- · Flat faced for flush cutting
- Gives a high quality clean flat cut
- · Top of the line
- · Quality flat face cutter
- Small, lightweight, compact
- · Ideal for repetitive cutting and delicate applications



CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
FF5	Flat faced model	5"	3/4"	5/8"	3.25 oz
SPR5	Replacement spring for 5" pliers	-	-	-	-





Flat Faced Economy Gate Cutter - 5" (127 mm)



- · Flat faced for flush cutting
- Precise, clean cut
- Low price
- Ideal for soft plastics
- · A good all-rounder
- Strong, clean cutting blade


CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
FF5A	Flat faced model	5"	3/4"	5/8"	3.25 oz

Flat Faced Precision Gate Cutter - 6" (155 mm)



- Flat faced for flush cutting
- · Precise. clean cut
- Top of the line quality
- · Quality flat face cutter
- · Ideal for soft plastics
- A good all-rounder






CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
FF6	Flat faced model	6"	13/16"	3/4"	4.5 oz
FF6P	With stop-pin blade adjustment	6"	13/16"	3/4"	4.5 oz
SPR6	Replacement spring for 6" pliers	-	-	-	-



Flat Face Precision Gate Cutter - 7" (190 mm)

- · Large, precision cutter for more difficult sprues
- · Precision ground cutting edge and deep-sculpted blade for clean, easy cuts
- Ideal for harder, more brittle plastics and larger sprues



CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
FF7	Flat faced model	7 1/2"	1"	1"	7.5 oz
FF7P	With stop-pin blade adjustment	7 1/2"	1"	1"	7.5 oz
SPR7	Replacement spring for 7" pliers	-	-	-	-



Flat Faced JUMBO Precision Gate Cutter - 8" (205 mm)

- · New, JUMBO cutter for big, tough sprues
- · Large, precision cutter for more difficult sprues
- · Precision ground cutting edge and deep sculpted blade for clean, easy cuts
- Ideal for harder, more brittle plastics and larger sprues



CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
FF8	Flat faced jumbo model	8"	1 1/4"	1 1/4"	10 oz
SPR8	Replacement spring for 8" pliers	-	-	-	-



Ergonomic Flat Face Precision Gate Cutters

- Specially curved, flat-faced plier, for large 5 mm diameter plus sprues, to suit the shape of the hand. Right or left hand
- 15° blade angle.
- · Curved handles reduce strain on wrist






CATALOG NO.	DESCRIPTION	HAND	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
FF6ER	Ergonomic flat faced, r/h	right	6"	7/8"	3/4"	4.5 oz
FF6EL	Ergonomic flat faced, I/h	left	6"	7/8"	3/4"	4.5 oz
FF7ER	Ergonomic flat faced, r/h	right	7 1/2"	1"	1"	7.5 oz
FF7EL	Ergonomic flat faced, I/h	left	7 1/2"	1"	1"	7.5 oz
SPR7	Replacement spring for 7" pliers		-	-	-	-



Curved Back Precision Gate Cutter - 4 1/2" (117 mm)

- · Slightly curved back for access to slightly recessed sprues
- Top of the line, quality curved back cutter
- Small, lightweight, compact
- Precision-ground slightly rounded cutting surface with deep sculpted design to reduce hand pressure
- Smooth, precision, easy-open spring hinge for high repetition work




CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
S4	Curved back model	4 1/2"	11/16"	11/16"	2.5 oz
SPR4	Replacement spring for 4" pliers	-	-	-	-



Curved Back Precision Gate Cutter - 5" (127 mm)

- · Slightly curved back for access to smaller, more difficult sprues
- Top of the line, quality curved back cutter
- Small, lightweight, compact



CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
S5B	Curved back model	5"	3/4"	5/8"	3.25 oz
SPR5	Replacement spring for 5" Pliers	-	-	-	-






Curved Back Precision Gate Cutter - 5" (127 mm)

- Premium quality, precision ground and hardened ultra-sharp cutting blades
- · Small, tough head for access to recessed sprues
- · Light weight, small head for repetitive jobs.
- Super tough construction






CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
S5A	Curved back model	5"	9/16"	1/4"	3.25 oz

Curved Back Precision Gate Cutter - 6" (158 mm)



- Large, strong cutter for more difficult sprues
- · Slightly curved back for access to more difficult sprues
- Top of the line
- Quality curved back cutter
- · Ideal for soft plastics
- · A good all-rounder




CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
S6	Curved back model	6"	7/8"	3/4"	5 oz
SPR6	Replacement spring for 6" pliers	-	-	-	-



Round Back Precision Gate Cutter - 7 1/2" (190 mm)

- · Slightly curved back for access to more difficult sprues
- · Ideal for harder, more brittle plastics, larger sprues and extrusions




CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
S7B	Curved back model	7 1/2"	1"	1"	7.5 oz
SPR7	Replacement spring for 7" pliers	-	-	-	-



Round Back JUMBO Precision Gate Cutter - 8" (205 mm)

- · New, JUMBO cutter for big, tough sprues
- · Large, precision cutter for more difficult sprues
- · Precision ground cutting edge and deep sculpted blade for clean, easy cuts
- Ideal for harder, more brittle plastics and larger sprues



CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
S8B	Round back model	8"	1 1/4"	1 1/4"	10 oz
SPR8	Replacement spring for 8" pliers	-	-	-	-






45° Angle Blade Gate Cutter - 6" & 6 1/2" (150 & 166 mm)



- 45° Blade angle plier for hard to reach sprues
- · High quality steel, lap jointed with coil spring and flat face
- · Heavy duty for quick sprue removal in difficult to access areas



CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
GA5	45° Angle blade model	6"	1"	3/4"	4.5 oz
GA7	45° Angle blade model	6 1/2"	1"	3/4"	4.5 oz
SPR6	Replacement spring for GA5 & GA7	-	-	-	-

90° Angle Blade Gate Cutter - 4 1/2" (140mm)



- 40 mm 90° plier
- For hard to reach sprues
- · High quality steel, lap jointed with coil spring and flat face
- · Heavy duty for quick sprue removal in difficult to access areas



CATALOG NO.	DESCRIPTION	OAL	BLADE LENGTH	BLADE OPEN	WEIGHT
GA6	90° Angle blade model	4 1/2"	-	-	7.5 oz
SPRGA6	Replacement spring for GA6	-	-	-	-